

Laboratoire et Imagerie médicale

| | | | |
|---------------|----------------------|--------------------|------------|
| Name | Mrs RHEA RIAD KHOURY | Treating Physician | |
| D.O.B | 27-04-2002 | Sex | Female |
| Collection No | 210521-036 | Collection Date | 12/08/2021 |

Molecular biology

| | | | |
|------------|----|------------|----------|
| Registered | On | 12-08-2021 | 08:10 AM |
| Edited | On | 12-08-2021 | 02:25 PM |

NOVEL CORONAVIRUS 2019 (COVID 2019) DETECTION BY REAL-TIME PCR (CE-IVD) ON CFX 96 OF BIORAD (KOGENE)

Specimen: Nasopharyngeal swab

Results: Negative

| | | | | |
|------|------|--------------|---|-------------|
| E | GENE | NOT:DETECTED | 5 | COPIES/TEST |
| RdRP | GENE | NOT:DETECTED | 5 | COPIES/TEST |
| | | | | SPECIFICITY |
| | | | | 100% |

INTERPRETATION :

The patient is Novel Coronavirus 2019 (COVID 19) Negative.

For your safety, please follow the CDC and WHO recommendations.

A negative result doesn't exclude the possibility of COVID-19, especially in early disease. It is recommended to follow up with a medical health care provider, continue to adhere to safety and isolation precautions, and eventually repeat testing in case of high disease suspicion.

The laboratory is accredited by the ministry of health.

